




4
 RK3568, C⁴ -A55 2.0G
 1 OPS NP
 HDMI L DS
 1 I G E LAN
 1 M.2 S⁴ :1 M.2 K B 4G/5G
 1 SB2.0, 1 SB3.0
 4 COM RS232/485
 12 DC-I





4

4

P S	CP	4	R 3568,Q - C -A55	2.0G
	GP	4	ARM G52 2EE	
	NP		1 OPS	
	M		O B LPDDR4/4 S	2GB/4GB O
E	I	1 M.2 (KE B 3042/3052)	4G 5G M	
		1 M S S 1 FS		
G	GP		M -G52	
	I		HDMI2.0 M L DS M	4096 2160@60H 1920 1080@60H
S	S D	O B	16GB EMMC S 8GB/32GB/64GB O	
GNSS	GNSS	N	-	
A	A C		RK809	
	I		1 3.5 A J (2 1)	
N	E		1 R LAN	
	IFI		O B 2.4G/5G IFI/B M	
I/O	LED ⁴		1 P 4 LED	4
	SB		1 SB2.0 PE-A 1 SB3.0 PE-A	
	S		4 COM RS232/RS485 O	
	O		1 L DS BK	
P	P I		12 DC-I	
	P I		2.5/5.5 DC J	
O	OSS			

M	M	D	LAN	SB3	SB2	PE-C	A	M.2
E068-A	2GB	2	1	1	1	/	1	1
E068-B	4GB	2	1	1	1	/	1	1

I	D
A	1
A 4	4 A
M	1
-	N/A

4G	M.2 K B 3042 M
5G	M.2 K B 3052 M